



LOYOLA COLLEGE (AUTONOMOUS), CHENNAI – 600 034

M.Sc. DEGREE EXAMINATION – MATHEMATICS

SECOND SEMESTER – APRIL 2016

MT 2962 – ACTUARIAL MATHEMATICS

Date: 27-04-2016

Dept. No.

Max. : 100 Marks

Time: 01:00-04:00

Answer ALL Questions:

(5 x20=100 marks)

1. (a) Briefly explain the history and origin of insurance.

(OR)

- (b) Define and derive an expression for deferred probability.

(5)

- (c) If $S(x) = 1 - \frac{x^2}{100}$, $0 \leq x \leq 10$. Find the distribution of $K(4)$. Also obtain its expectation e_x .

- (d) Prove that $\mu_x = \frac{f(x)}{s(x)}$ and $S(x) = \exp(-\int_0^x \mu_t dt)$.

(8+7)

(OR)

- (e) For the current type of refrigerator, it is given that $s(x) = \begin{cases} 1 & x \leq 0 \\ 1 - \frac{x}{w} & 0 \leq x \leq w \\ 0 & x > w \end{cases}$ and $e_0^0 = 20$.

For a proposed new type, with the same w , the new survival function is

$$S^*(x) = \begin{cases} 1 & 0 \leq x \leq w \\ \frac{w-x}{w-5} & 5 < x \leq w \end{cases}. \text{ Calculate the increase in life expectancy at time 0.} \quad (15)$$

2. (a) If $S(x) = 1 - \frac{x^2}{100}$, $0 \leq x \leq 100$ and $l_0 = 1,00,000$, find l_1 , l_4 and l_{65} .

(OR)

- (b) Derive the relation l_x and μ_x .

(5)

- (c) Derive the expression for l_x , d_x , L_x , T_x , e_x and tabulate the values of l_x , d_x , L_x , T_x , e_x where $q_0 = 0.3$, $q_1 = 0.1$, $q_2 = 0.2$, $q_3 = 0.4$, $q_4 = 0.7$ and $q_5 = 1$ taking $l_0 = 100$.

- (d) Explain about assumption for fractional ages.

(10+5)

(OR)

- (e) Given that $p_{40} = 0.999473$, calculate ${}_{0.4}q_{40.2}$ under the assumption of under distribution of death.

- (f) Given $q_{60} = 0.3$ and $q_{61} = 0.4$, find the probability that (60.5) will die between (60.5) and (61.5) under the assumption of uniformity of deaths in the unit interval.

(7+8)

3. (a) Find the amount of Rs 10, 000/- after 10 years if the rate of interest is 5% and 5% per annum payable quarterly.

(OR)

- (b) Find the amount to which Rs 1, 000/- will accumulate at 6% per annum convertible half yearly for 5 years. In how many will a sum of money double itself at compound interest with effective rate = 0.005?

(5)

- (c) Give an account of whole life insurance policy.

- (d) Assume that each of 100 independent lives is of age x , is subject to a constant force of mortality $\mu = 0.04$ and is insured for a death benefit amount of 10 units, payable at the moment of death.

The benefit payments are to be withdrawn from an investment fund earning interest at a rate

$\delta = 0.06$. Calculate the minimum amount to be collected at $t=0$, so that the probability is

approximately 0.95 that sufficient funds will be on hand to withdraw the benefit payment at the death of each individual.

(5+10)

(OR)

- (e) Derive the (i) effective rate of interest for both Simple and Compound Interest and (ii) discount in life insurance.

(f) Find the amount to which 1000 will accumulate at **6%** per annum convertible half yearly for **5** years. (10+5)

4. (a) Find the present value and the accumulated value of a **10** year annuity immediate of **Rs. 1000** per annum if the effective rate of interest is **5%**.

(OR)

(b) Rs. 3000 is deposited at a bank on January 1st of each year from 2001 – 2009. What is the accumulated value of this fund on December 31, 2009 at **3%** annual rate of interest?

(5)

(c) For a 3-year temporary life annuity-due on (30), given $S(x) = 1 - \frac{x}{80}$, $0 \leq x < 80$, $i = 0.05$ and

$$Y = \begin{cases} \ddot{a}_{\overline{k+1}|}, & k = 0, 1, 2 \\ \ddot{a}_{\overline{3}|}, & k = 3, 4, 5 \end{cases}, \text{ calculate } \text{Var}(Y).$$

(d) Derive whole life annuity due.

(10+5)

(OR)

(e) An alumni association has 50 members, each of age x . It is assumed that all lives are independent. It is decided to contribute Rs. R to establish a fund to pay a death benefit of rupees 10,000/- to each member. Benefits are to be payable at the moment of death. It is given that $\overline{A}_x = 0.06$ and ${}^2\overline{A}_x = 0.01$. Using normal approximation, find R so that with probability 0.95 the fund will be sufficient to pay the death benefit.

(f) Prove that $\ddot{a}_x = \frac{1 - A_x}{d}$.

(8+7)

5. (a) For a whole life insurance with unit benefit, calculate $\overline{P}(A_x)$ and $\text{var}(L)$ with the assumptions that the force of mortality is constant $\mu = 0.04$ and force of interest $\delta = 0.06$.

(OR)

(b) Calculate \ddot{a}_x where it is given that ${}_{10}E_x = 0.40$, ${}_{10}\ddot{a}_x = 7$ and ${}^H S_{x:\overline{10}|} = 15$.

(5)

(c) For (x) you are given the following information:

1) The premium for a **20**–year endowment insurance of **1** is **0.0349**.

2) The premium for a **20**–year pure-endowment of **1** is **0.0230**.

3) The premium for a **20**–year deferred whole life annuity-due of **1** per year is **0.2087** and is paid for **20** years.

4) All premiums are fully discrete annual benefit premiums.

5) $i = 0.05$.

Calculate the premium for a **20**–payment whole life insurance of **1**.

(d) If ${}_k|q_x = c(0.96)^{k+1}$, $k = 0, 1, 2, \dots$ where $c = 0.04/0.96$ and $i = 0.06$, calculate P_x and $\text{Var}(L)$.

(7+8)

(OR)

(e) Given (i) ${}_{10}\ddot{a}_x = 4.0$, (ii) $\ddot{a}_x = 10.0$ (iii) ${}^H S_{x:\overline{10}|} = 15.0$, (iv) $\delta = 0.94$. Calculate $A'_{x:\overline{10}|}$.

(f) For a fully continuous whole life insurance 1 on (x) . Calculate $\overline{P}(A_x)$ given the following:

(i) Premiums are determined using the equivalence principle.

(ii) $\frac{\text{var}[Z]}{\text{var}[X]} = 0.36$ and

(iii) $\overline{a}_x = 10$.

(5+10)
